

TP 20/15

Extruded net

TENAX TP is an extruded polyethylene tubular net with rhomboidal mesh.



Picture out of scale

Typical applications

- Impact and damage protection for cylindrical surfaces: filters, cylinders, extinguishers or manufactured products.

PHYSICAL CHARACTERISTICS	TEST METHOD	UNIT	TP 20/15	NOTES
TYPE OF POLYMER			LDPE	-
MESH SHAPE			RHOMBOIDAL	-
COLOUR			CLEAR – YELLOW - BROWN	-

DIMENSIONAL CHARACTERISTICS	TEST METHOD	UNIT	TP 20/15			NOTES
			Nom.	Min.	Max.	
MD PITCH		mm	25			
WEIGHT FOR LINEAR METER		g/m	15			
INTERNAL TUBULAR DIAMETER		mm		20	50	
ROLL LENGTH		m	200			a
BOX GROSS WEIGHT		kg	13.5			
ROLLS PER BOX		N°	4			
PACKAGING				BOX		

NOTES:

- a) Available in different length

The data contained in this publication are based on the knowledge available at the time of printing and may be subjected to amendments due to changes of the methods of testing and/or manufacturing. All dimensions and properties are reported as typical values, otherwise specified. TENAX nets are thermoplastic products subjected to shrinkage and deformations.